


Clean air...it's what we do



Specifications

- Frame: 16 ga galvaneal or 0.063" aluminum
- Media: Continuous corrugated wet laid microglass paper
- Efficiency: 99.97%, per IEST-RP-CC-001.3-A, MERV 17 per ASHRAE 52.2
- Frame Style: Box, single header, double header
- Pack Sealant: High temperature urethane
- Gasketing: Neoprene
- Gasket Location: Upstream, downstream, both sides
- Pack Style: Corrugated aluminum or seperatorsless dimples
- UL 900: Class 1 or Class 2

99.97% HEPA Filter, High Capacity

Model Number	Actual Dimensions			CFM Capacity @__"wg.			Weight (lbs.)
	H"	W"	D"	0.95	1.35	1.75	
*AFH-12-12-11-1/2 HC	12	12	11-1/2	290	430	550	15
*AFH-24-12-11-1/2 HC	24	12	11-1/2	650	920	1180	26
*AFH-24-24-11-1/2 HC	24	24	11-1/2	1500	2000	2500	38

*Model Number Designation Sheet must be filled out to show complete description.

Notes:

1. Model Number Designation Sheet must be filled out to show complete description.
2. Contact Air Scrubbers for special size or options information.
3. Tolerance: H X W = + 0" / -1/8";
D = + 1/16 / -0"
4. Maximum temperature exposure 250°F



PO Box 2205 Ph: 919-718-5818
Sanford, NC 27331 Fax: 919-718-5819
info@airscrubbersinc.com

99.97%
HEPA Filter, High Capacity

Date
01/02/10

Revision

Model

AFH-HC